

# geratech<sup>®</sup>




## DTWR

Digital Torque Wrench  
Lever Type Ratchet

# DTWR

## Digital Torque Wrench Lever Type Ratchet



### Features

- Displays in-lbs, ft-lbs & N-m (User selectable)
- CW and CCW operation
- Peak or Real-Time (track) mode (User Selectable)
- Buzzer and LED indicator for the pre-settable target torque
- 50 data point memory
- Auto shutdown after 5 minutes of non use

# DTWR

## Digital Torque Wrench Lever Type Ratchet



Model	Range	Resolution	Drive Size
DTWR-30i	3 - 30 Nm	0.01 Nm	1/4"
DTWR-135f	13.5 - 135 Nm	0.1 Nm	1/2"
DTWR-135i	13.5 - 135 Nm	0.1 Nm	3/8"
DTWR-200f	20 - 200 Nm	0.1 Nm	1/2"
DTWR-340f	34 - 340 Nm	0.1 Nm	1/2"
DTWR-500f	50 - 500 Nm	0.1 Nm	3/4"
DTWR-850f	85 - 850 Nm	0.1 Nm	3/4"
DTWR-2000f	200 - 2000 Nm	1 Nm	1"

Specifications	
<b>Accuracy</b>	CW - $\pm 2.5\%$ of indicated CCW - $\pm 3.5\%$ of indicated From 20 - 100% of capacity
<b>Sampling Frequency</b>	500 Hz (500 samples/sec)
<b>Display Update Rate</b>	4 Hz (4 times/sec)
<b>Memory</b>	50 Readings for recall on display, no output capability
<b>Operation Mode</b>	Peak hold/ Track
<b>Unit Selection</b>	ft-lb, in-lb, N-m
<b>Head Type</b>	Lever type Ratchet
<b>Gear Teeth</b>	36
<b>Battery</b>	2x AA
<b>Battery Life</b>	110 Continuous Hours 1 Year Standby
<b>Operating Temperature</b>	-10°C ~ 60°C
<b>Storage Temperature</b>	-20°C ~ 70°C
<b>Humidity</b>	Up to 90% non-condensing

# DTWR

Digital Torque Wrench  
Lever Type Ratchet



<i>DTW Series</i>	
DTWA	Digital Torque Wrench - with Angle
DTWB	Digital Torque Wrench - Bicycle Set
DTWI	Digital Torque Wrench - Interchangeable Head
DTWM	Digital Torque Wrench - Mini
DTWR	Digital Torque Wrench - Lever Type Ratchet

# geratech®



[www.geratech.com.tr](http://www.geratech.com.tr)  
[www.egerate.com](http://www.egerate.com)  
[www.egerate-store.com](http://www.egerate-store.com)